




PENDULUM SPREADERS

The BMC pendulum spreaders are designed for the distribution of solid granular fertilizers and seeds with total precision.

DISTRIBUTION SYSTEM

Pendulum spreaders deliver the most accurate overlapping spread pattern possible. An equal amount of material is spread on either side in a symmetrical pattern. The maximum spreading width is 46 feet. The overlapping pattern allows for more driving forgiveness, no skips or burns due to double coverage. Material is kept close to the machine and there is no overspray on the tractor.



Cone shape pattern provides total overlap



DISC TYPE SPREADER PATTERN: Material is subjected to wind influence. The flat pattern requires precise overlap.



PENDULUM SPREADER PATTERN: Wind influence is negligible. Tractor does not get covered with fertilizer.

FEATURES

- 3 BASE MODELS: AIP500, AIG800 and ASG1100. All other models are made by adding bolt on extensions to the base hoppers.
- Hoppers are made of high grade pressed polyester. Critical parts are stainless steel, poly or high grade paint.
- AIG and ASG models come with quick hitch system.
- Accessories include: Hydraulic open/close, agitator extension, hopper covers, and specialty spouts.

AIP series

AIP Series is designed for tractors 30 HP or higher and tractors with adequate lift capacity. Category I & II 3 point hitch. PTO: 540RPM - Shear bolt.



AIG series

AIG Series is designed for tractors 30 HP or higher. Category II w/quick hitch bar. PTO: 540RPM - Shear bolt.



ASG series

ASG Series is designed for large capacities and tractors over 50 HP. Category II w/quick hitch bar. PTO: 540RPM - Shear bolt.



MODELS	AIP 500	AIP 600	AIG 800	AIG 1000	AIG 1250	ASG 1100	ASG 1400	ASG 1650
Hopper Capacity (Cubic Feet)	17.65 CF	21.19 CF	28.25 CF	35.31 CF	42.4 CF	38.8 CF	49.4 CF	58.27 CF
Hopper Capacity (Pounds of fertilizer at 67.4 lbs per CF)	1,190 lbs.	1,428 lbs.	1,904 lbs.	2,380 lbs.	2,856 lbs.	2,618 lbs.	3,332 lbs.	3,927 lbs.
Approx. Bushel Capacity	14	17	23	28	34	31	39	46
Height	36"	42"	39"	42"	46"	43"	49"	53"
Length	42"	43"	53"	54"	54"	65"	66"	66"
Width	54"	55"	74"	75"	75"	74"	75"	75"
Weight	234 lbs.	247 lbs.	335 lbs.	348 lbs.	353 lbs.	459 lbs.	472 lbs.	481 lbs.

AMP series

AMP series is designed with a poly-ethylene hopper and is capable of spreading powders or granules. It's compact design and short spreading surface makes it perfect for small areas. Requires category 1 3 point hitch and 540 RPM PTO.

Hopper Capacity (Cubic Feet)	10.6 CF
Hopper Capacity (Pounds of fertilizer at 67.4 lbs per CF)	660 lbs.
Approx. Bushel Capacity	8.5
Spreading Width	3' - 46'
Weight	185 lbs.



GEARBOX DRIVE is the same for all models. Hopper capacities and frames are designed to match capacity.

OPTIONAL

HYDRAULIC OPENING & CLOSING



AGITATOR EXTENSION





TWIN DISC SPREADERS

The BMC twin disc spreaders deliver a uniform distribution and perfect scatter up to 79 feet. They are designed for the distribution of solid granular fertilizers and seeds.

FEATURES

- ♦ 2 MODELS: ADH series and ACH series.
- ♦ Spread width is up to 79'
- ♦ Frames are made of steel and are submitted to an antioxidant treatment.
- ♦ Comes standard with hydraulic open/close, light kit and inner screen

CONSISTENT SPREAD PATTERN

Double overlap spread pattern.



Up to 79' working widths



From 79' working widths



SYNTRA series

Syntra Series is designed for the distribution of solid granulated fertilizers and seeds with total precision. It can handle capacities, up to 1,900 lbs. with a spread width of 72'.

All elements in contact with the fertilizer are made of stainless steel, that ensures a long life for the gearbox.

MODELS	SYNTRA
Hopper capacity (cubic feet)	29 CF
Hopper Capacity (Pounds of fertilizer at 67.4 lbs per CF)	1,900 lbs.
Approx. Bushel Capacity	23
Height	50"
Length	59"
Width	59"
Weight	495 lbs.



ADH series

ADH Series is designed for tractors 50 HP or higher and can handle large capacities, up to 2,359 lbs. with a spread width of 79'.

The hoppers are made of pressed polyester, that gives the machine a high resistance and duration and assures a long life.

MODELS	ADH 1100
Hopper capacity (cubic feet)	35 CF
Hopper Capacity (Pounds of fertilizer at 67.4 lbs per CF)	2,359 lbs.
Approx. Bushel Capacity	28
Height	43"
Length	65"
Width	74"
Weight	536 lbs.



ACH series

ACH Series is designed for tractors 50 HP or higher and can handle large capacities, up to 5,931 lbs. with a spread width of 79'.

The hoppers are made of sheet of steel and are submitted to an antioxidant treatment with pulverized paint.

MODELS	ACH 2500
Hopper capacity (cubic feet)	88 CF
Hopper Capacity (Pounds of fertilizer at 67.4 lbs per CF)	5,931 lbs.
Approx. Bushel Capacity	71
Height	61"
Length	60"
Width	100"
Weight	944 lbs.

STANDARD

HYDRAULIC OPENING



LIGHTING KIT



INNER SCREEN



OPTIONAL

COVER



BORDER






AGRÍCOLA

BMC Agrícola S.L. Pol. Ind. El Montecillo Parc. 2C y 2 Ñ
 50520 Magallón - Zaragoza - SPAIN
 Tlf.: +34 876 63 98 00 Fax: +34 876 63 98 01
 bmc@bmc-agricola.es www.bmc-agricola.es



Thomas Bros. Equipment Sales Inc.
 41764 Red Arrow Hwy.
 Paw Paw, MI 49079
 269-657-3735, Fax 269-657-2110
 Toll Free 866-214-6135
 email: tbrofab@gmail.com
 www.thomasbrosequipmentsales.com

DISTRIBUTED BY:



CUMMINGS & BRICKER, INC.
 Batavia, NY | Carlisle, PA
 Phone 800-252-1552 | 800-222-8969
 www.cummingsandbricker.com