

MASCHIO

MOD. **L**



ROTARY TILLER 10 ÷ 25 HP

Adjustable offset rotary tiller of small dimensions, recommended for hobby farmers and small farms, suitable for vineyards, orchards, vegetable crops and gardening. Particularly designed to have a sturdy build and a low power requirement to match light tractors.

Standard Equipments

- Single speed gearbox with 540 r.p.m. P.T.O.
- Standard P.T.O. shaft
- Chain side drive in oil bath
- Universal three point hitch, cat. I
- Three point hitch manual offset
- 4 blades per flange (side blades are mounted outwards)
- Mechanical adjustable offset

Optional Equipments

- P.T.O. shaft with shear pin
- P.T.O. shaft with slip clutch

MOD. **L**



Universal three point hitch, cat. I



Rear door: chain



PTO shaft with shear pin (optional)



Chain side drive




Skids for working depth adjustment



Detail of blade

Technical data and models shown in this catalogue are not binding. We reserve the right to revise the contents of this catalogue, to amend or improve the specifications without notice.

rpm	rpm	MODEL	HP	Working width Inches	Total width Inches	Offset (Inches)	Blades	Lbs
540	254							
		L 85 (34)	10 - 25	34	38	16,5 14,5	16 20	260 293
		L 105 (42)	15 - 25	42	46	20,5 16,7	20 20	308 323
		L 115 (45)	18 - 25	45	54	22,5 14,5	24	
		L 125 (50)	20 - 25	50	62	24,5 16,5		



Working depth 6,00 inches

MASCHIO



MASCHIO USA
432 2ND Street
Rock Island,
IL 61201 USA
Ph. +1 309 794-2310
Fax +1 309 788-1610



MASCHIO-GASPARDO CANADA Inc
2275, rue Power
Drummondville, Qc
J2C 6Z5 CANADA
Ph. 819.477.1107
Fax 819.477.1108

**COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
=ISO 9001/2000=**

DEALER:

Thomas Bros. Equipment Sales, Inc.
41764 Red Arrow Hwy.
Paw Paw, MI 49079
269-657-3735 Fax: 269-657-2110
Toll Free 866-214-6135
tbrofab@gmail.com
www.thomasbrosequipmentsales.com

MASCHIO

MOD. **W**



ROTARY TILLER 15 - 40 HP

Adjustable offset rotary tiller of small dimensions, recommended for hobby farmers and small farms, suitable for vineyards, orchards, vegetable crops and gardening. Particularly designed to have a sturdy build and a low power requirement to match light tractors.

Standard Equipments

- Single speed gearbox with 540 r.p.m. P.T.O.
- Standard P.T.O. shaft
- Chain side drive in oil bath
- Universal three point hitch, cat. I
- Three point hitch manual offset
- 4 blades per flange (side blades are mounted outwards)
- Mechanical adjustable offset

Optional Equipments


- P.T.O. shaft with share pin
- P.T.O. shaft with slip clutch
- 6 blades per flange (side blades are mounted outwards)



Universal three point hitch, cat. I



Rear door: chain



PTO shaft with slip clutch (opt)



Chain side drive (std)




Detail rotor and blades



Detail of blade

 rpm	 rpm	MODEL	 HP	 Working width	 Total width	 Offset (Inches)	 Blades (std)	 Lbs
540	208			Inches	Inches			
		W 105 (42)	15 - 40	42	46	21 9	21 33	374
		W 125 (50)	23 - 40	50	54	25 9	24 41	427
		W 145 (58)	25 - 40	58	62	29 9	29 49	480
		W 165 (65)	30 - 40	65	70	33,5 9	33,5 56	540

Working depth
7,00 inches

MASCHIO USA
1300, 19 STREET
SUITE 120
EAST MOLINE IL 61244
Ph. +1 309 7559355
Fax +1 309 7554345



MASCHIO-GASPARDO CANADA Inc
2275, rue Power
Drummondville, Qc
J2C 6Z5 CANADA
Ph. 819.477.1107
Fax 819.477.1108

DEALER:

**COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
= ISO 9001/2000 =**

Thomas Bros. Equipment Sales, Inc.
41764 Red Arrow Hwy.
Paw Paw, MI 49079
269-657-3735 Fax: 269-657-2110
Toll Free 866-214-6135
tbrofab@gmail.com
www.thomasbrosequipmentsales.com

MASCHIO

MOD. **A**



ROTARY TILLER 30 ÷ 60 HP

For tractors from 22 to 44 Kw (30 ÷ 60 HP) , with skids and single speed gearbox P.T.O. 540 r.p.m.

Standard equipment


- Single speed gearbox 540 r.p.m. P.T.O.
- P.T.O. shaft with slip clutch
- Side chain drive, in oil bath
- Universal three point hitch, cat. I and II
- Adjustable front bar connections
- 4 blades per flange (side blades are mounted outwards)
- EC safety guards

Optional equipment

- 6 blades per flange
- Wheels for working depth regulation
- Wheel track eradicators



Front pair of wheels for working depth adjustment



PTO shaft with slip clutch (std)




Chain side drive (std)



Universal three point hitch, cat. I and II



 rpm	 rpm	MODEL	 HP	Working width  Inches	Total width  Inches	 Inches	Blades (std)	 Lbs
540	208							
		A 100	30 - 60	42	46	19	20	495
		A 120	35 - 60	49	54	24	24	535
		A 140	40 - 60	57	61	28	28	574
		A 160	45 - 60	65	70	32	32	616
		A 180	50 - 60	73	78	36	36	660



Working depth
7.9 inches



MASCHIO-GASPARDO USA Inc.
120 North Scott Park Road
Eldridge, IA 52748
Ph. (563) 285 9937
Fax (563) 285 9938



MASCHIO-GASPARDO CANADA Inc
2275, rue Power
Drummondville, Quebec
J2C 6Z5 CANADA
Ph. 819.477.1107
Fax 819.477.1108

DEALER:

**COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
=ISO 9001/2000=**

Thomas Bros. Equipment Sales, Inc.
41764 Red Arrow Hwy.
Paw Paw, MI 49079
269-657-3735 Fax: 269-657-2110
Toll Free 866-214-6135
tbrofab@gmail.com
www.thomasbrosequipmentsales.com



MOD. **H**



ROTARY TILLER 30 ÷ 60 HP


Rotary tiller recommended for normal farming, suitable for vineyards, orchards, vegetable crops and gardening. Particularly designed to have a sturdy build and a low power requirement to match light tractors.

Standard Equipments

- Single speed gearbox with 540 r.p.m. P.T.O.
- P.T.O. shaft with clutch
- Chain side drive in oil bath
- Universal three point hitch, cat. I and II
- 6 blades per flange (side blades are mounted outwards)
- Adjustable offset lower hitches

Optional Equipments

- Gear side drive
- Multi speed gearbox
- Twin depth control wheels



PTO shaft with slip clutch (opt)




Universal three point hitch, cat. I and II



Multi speed gearbox (opt)




Chain side drive (std)



Gear side drive (opt)

 rpm	 rpm	MODEL	 HP	 Working width	 Total width	 Inches	 Blades (std)	 Lbs
540	228							
		H 125 (50)	30 - 35	50	54	24	36	616
		H 145 (58)	35 - 40	58	62	28	42	664
		H 165 (65)	40 - 45	65	70	32	48	713
		H 185 (74)	45 - 50	74	78	36	54	761
		H 205 (82)	50 - 60	82	86	40	60	810



Working depth 7,00 inches



MASCHIO USA
1300, 19 STREET
SUITE 120
EAST MOLINE IL 61244
Ph. +1 309 7559355
Fax +1 309 7554345



MASCHIO-GASPARDO CANADA Inc
2275, rue Power
Drummondville, Qc
J2C 6Z5 CANADA
Ph. 819.477.1107
Fax 819.477.1108

DEALER:

COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
=ISO 9001/2000=

Thomas Bros. Equipment Sales, Inc.
41764 Red Arrow Hwy.
Paw Paw, MI 49079
269-657-3735 Fax: 269-657-2110
Toll Free 866-214-6135
tbrofab@gmail.com
www.thomasbrosequipmentsales.com

MASCHIO

MOD. **U**



ROTARY TILLER 30 ÷ 80 HP

Rotary tillers suitable for medium power tractors. This model maintains some of the characteristics common to the success of the Maschio rotary tiller; side gear drive, particularly sturdy frame and gearbox with 4 speed (opt) designed by Maschio. Recommended for different applications such as vegetable, vineyards orchards and normal / heavy farming.


Standard Equipments

- Single speed gearbox with 540 r.p.m. P.T.O.
- P.T.O. shaft with slip clutch
- Gear side drive
- Universal three point hitch, cat. I and II
- 6 blades per flange (side blades are mounted outwards)
- Adjustable offset and floating lower hitches

Optional Equipments

- Multi speed gearbox 540 r.p.m. P.T.O.
- Twin depth control wheels


MOD. **U**



Gear side drive (std)



Multi speed gearbox, detail (opt)



PTO shaft with slip clutch (std)



Detail rotor and blades




Blades



Twin depth control wheels (opt)

rpm	rpm	MODEL	HP	Working width	Total width	Inches	Blades	Lbs
540	213							
rpm	rpm	U 140 (56)	30 - 80	56	62	28,5	33	836
15-18	178	U 155 (64)	40 - 80	64	68	32	36	880
17-16	201	U 180 (72)	50 - 80	72	78	36,5	42	968
16-17	227	U 205 (82)	60 - 80	82	87	42	48	1056
15-18	256	U 230 (92)	70 - 80	92	97	46,5	54	1144



Working depth 8,00 inches



MASCHIO USA
432 2ND Street
Rock Island
IL 61201 USA
Ph. +1 309 794-2310
Fax +1 309 788-1610



MASCHIO-GASPARDO CANADA Inc
2275, rue Power
Drummondville, Qc
J2C 6Z5 CANADA
Ph. 819.477.1107
Fax 819.477.1108

DEALER:

**COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
=ISO 9001/2000=**

Thomas Bros. Equipment Sales, Inc.
41764 Red Arrow Hwy.
Paw Paw, MI 49079
269-657-3735 Fax: 269-657-2110
Toll Free 866-214-6135
tbrofab@gmail.com
www.thomasbrosequipmentsales.com

Technical data and models shown into this catalogue are not binding. We reserve the right to revise the contents of this catalogue, to amend or improve the specifications without notice.

MASCHIO

MOD. **B**



ROTARY TILLER 40 ÷ 100 HP

Rotary tiller with a considerable variety of uses thanks to its wide choice of set-up and accessories. Its structure satisfies small and medium farms needs and achieve excellent results on even very difficult soils with considerable economy in the use of tractor power.

Standard Equipments

- Multi speed gearbox 540 r.p.m. P.T.O.
- P.T.O. shaft with slip clutch
- Gear side drive
- Universal three point hitch, cat. I and II
- Adjustable offset lower hitches
- 6 blades per flange (side blades are mounted inwards)

Optional Equipments

- Double flanges
- Twin rear or front depth control wheels (pin adjustable)




MOD. **B**




Wheel track eradicators



Double flanges (opt)



PTO shaft with slip clutch (std)



Gear side drive (std)




Multi speed gearbox, detail (std)



Twin rear depth control wheels

	540 rpm	rpm
	22-16	140
	20-18	174
	18-20	213
	16-22	266

MODEL	HP	Working width Inches	Total width Inches	Inches	Blades	Lbs
B 155 (62)	45 - 100	62	68	32	36	1195
B 180 (72)	50 - 100	72	78	36,5	42	1294
B 205 (82)	60 - 100	82	88	41	48	1397
B 230 (92)	70 - 100	92	98	46,5	54	1496



Working depth 10 inches



MASCHIO USA

432 2ND Street
Rock Island
IL 61201 USA
Ph. +1 309 794-2310
Fax +1 309 788-1610



MASCHIO-GASPARDO CANADA Inc

2275, rue Power
Drummondville, Qc
J2C 6Z5 CANADA
Ph. 819.477.1107
Fax 819.477.1108

DEALER:

**COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
=ISO 9001/2000=**

Thomas Bros. Equipment Sales, Inc.
41764 Red Arrow Hwy.
Paw Paw, MI 49079
269-657-3735 Fax: 269-657-2110
Toll Free 866-214-6135
tbrofab@gmail.com
www.thomasbrosequipmentsales.com

Technical data and models shown into this catalogue are not binding. We reserve the right to revise the contents of this catalogue, to amend or improve the specifications without notice.

MASCHIO

MOD. **C**



ROTARY TILLER 60 -130 HP

Rotary tiller with a wide variety of uses, suitable for medium/large farms and medium power tractors. The preparation of the ground after plowing, the working in of stubble and crop residues, the mechanical control of weeds, the breaking up of established grassland, direct preparation without plowing - these are only some of its many possible uses. This model is available in a version with Cobra type blade rotor.

Standard Equipments

- Multi speed gearbox 540/1000 r.p.m. P.T.O.
- P.T.O. shaft with slip clutch
- Gear side drive
- Universal three point hitch, cat. II
- Floating lower hitches
- 6 blades per flange (side blades are mounted inwards)

Optional Equipments

- P.T.O. shaft with cam clutch
- Rear P.T.O.
- Counter flanges
- Twin depth control wheels
- RH, LH side disc




MOD. **C**



COBRA rotor




Twin depth control wheels (opt)



PTO shaft with slip clutch (std)



PTO shaft with cam clutch (opt)



Gear side drive (std)




Multi speed gearbox, detail (std)

	rpm	
	rpm	
	21-19	175
	23-17	143
	24-16*	129
	22-18*	158
	19-21	214
	17-23	262
	16-24*	290
	18-22*	236

* Optional gear sets

MODEL		Working width 	Total width 			
	HP	Inches	Inches	Inches	Blades	Lbs
C 205 (82)	60 - 130	82	88	42	48	1487
C 230 (92)	70 - 130	92	98	46,5	54	1588
C 250 (102)	80 - 130	102	108	51	60	1694
C 280 (112)	90 - 130	112	118	56,5	66	1804
C 300 (122)	100 - 130	122	128	61	72	1914



Working depth 10 inches



MASCHIO USA

432 2ND Street
Rock Island
IL 61201 USA
Ph. +1 309 794-2310
Fax +1 309 788-1610



MASCHIO-GASPARDO CANADA Inc

2275, rue Power
Drummondville, Qc
J2C 6Z5 CANADA
Ph. 819.477.1107
Fax 819.477.1108

DEALER:

**COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
=ISO 9001/2000=**

Thomas Bros. Equipment Sales, Inc.
41764 Red Arrow Hwy.
Paw Paw, MI 49079
269-657-3735 Fax: 269-657-2110
Toll Free 866-214-6135
tbrofab@gmail.com
www.thomasbrosequipmentsales.com

Technical data and models shown into this catalogue are not binding. We reserve the right to revise the contents of this catalogue, to amend or improve the specifications without notice.

MASCHIO

MOD. SC



ROTARY TILLER 90 - 170 HP

Heavy duty rotary tiller intended for large farms, specialized operations and outside contractors. This is a large rotary tiller designed to work in particularly heavy conditions. Its new mechanical structure and wide choice of accessories allow it to achieve excellent results on any type of ground. It is available in the version with Cobra and Condor type blade rotor.

Standard Equipments

- Multi speed gearbox 540/1000 r.p.m. P.T.O.
- P.T.O. shaft with slip clutch
- Gear side drive
- Universal three point hitch, cat. II
- Swinging lower hitches
- 6 blades per flange (side blades are mounted inwards)
- Rear P.T.O.

Optional Equipments

- P.T.O. shaft with cam clutch
- Counter-flanges
- Front and rear twin depth control wheels
- Pair of wheel track eradicators
- RH, LH side disc




MOD. **SC**




COBRA rotor (opt)



CONDOR rotor (opt)



PTO shaft with slip clutch (std)



Gear side drive (std)



Multi speed gearbox, detail (std)



Twin depth control wheels (opt)



Counter flanges (opt)

	540 rpm		rpm
	16-24		220
	17-23		198

	1000 rpm		rpm
	24-16		181
	23-17		201
	21-19		246
	19-21		300


MODEL




HP



Inches



Inches



Inches



Blades



Lbs

SC 230 (92)

95 - 170

92

98

45

45

54

1960

SC 250 (102)

100 - 170

102

108

49

49

60

2092

SC 280 (112)

110 - 170

112

118

55

55

66

2240

SC 300 (122)

130 - 170

122


128

59

59

72

2372



Working depth 11 inches

* Standard - • Optional



MASCHIO USA

432 2ND Street
Rock Island
IL 61201 USA
Ph. +1 309 794-2310
Fax +1 309 788-1610



MASCHIO-GASPARDO CANADA Inc

2275, rue Power
Drummondville, Qc
J2C 6Z5 CANADA
Ph. 819.477.1107
Fax 819.477.1108

DEALER:

**COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
=ISO 9001/2000=**

Thomas Bros. Equipment Sales, Inc.
41764 Red Arrow Hwy.
Paw Paw, MI 49079
269-657-3735 Fax: 269-657-2110
Toll Free 866-214-6135
tbrofab@gmail.com
www.thomasbrosequipmentsales.com

Technical data and models shown into this catalogue are not binding. We reserve the right to revise the contents of this catalogue, to amend or improve the specifications without notice.

MASCHIO

MOD. **G**



ROTARY TILLERS 90 ÷ 250 HP

Rotary tillers for tractors from 66 to 184 kW (90-250 HP) with skids or with roller, side gear drive and gearbox with 540 and 1000 rpm P.T.O.

Standard Equipments

- 3 speed gearbox r.p.m. P.T.O. with hand lever
- Cam clutch P.T.O. shaft
- Side gears drive
- Universal three point hitch, cat. II and III
- Swinging lower hitches
- Rear P.T.O.
- 6 blades per flange (side blades are mounted inwards)
- Bonnet spring adjuster
- Mechanical rear roller adjusters
- EC safety guards

Optional Equipments


- Hydraulic rear roller side adjusters
- Gearbox oil cooler
- Hydraulic seed drill hitch
- Front pair of wheels for working depth adjustment
- Wheel track eradicators
- RH, LH side disk share




Wheel track eradicators



Counter flanges



PTO shaft with friction disc slip clutch



Side gear drive




Gearbox detail



Front wheels for working depth adjustment

	1000 rpm		rpm
	22-19		161
	22-19		178
	22-19		196
	18-22		216
	18-22		238
	18-22		263

MODEL								
		HP	Inches	Inches	Inches	Blades	Lbs	
G - 300	180-250	123	132	59		59	72	4195
G - 350	200-250	143	152	69		69	84	4906
G - 400	220-250	163	172	79		79	96	5632



Working depth 12 inches

MASCHIO



MASCHIO USA
432 2ND Street
Rock Island, IL 61201 USA
Ph. +1 309 794-2310
Fax +1 309 788-1610



MASCHIO-GASPARDO CANADA Inc
2275, rue Power
Drummondville, Qc
J2C 6Z5 CANADA
Ph. 819.477.1107
Fax 819.477.1108

**COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV**
ISO 9001

DEALER:

Thomas Bros. Equipment Sales, Inc.
41764 Red Arrow Hwy.
Paw Paw, MI 49079
269-657-3735 Fax: 269-657-2110
Toll Free 866-214-6135
tbrofab@gmail.com
www.thomasbrosequipmentsales.com